



Safety Data Sheet

1. Identification

Product identifier	Wisear Green Tea
Manufacturer	West Sanitation Services, Inc.
Address	2158 Beaumont Dr - Baton Rouge, LA 70806
Telephone	General Assistance 225-302-5570
Emergency phone number	CHEMTREC: 800-424-9300

2. Hazards identification

Physical hazards	Flammable Liquids	Category 4
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1A
	Carcinogenicity	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word Danger

Hazard statement

Combustible liquid. Harmful if swallowed Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause cancer. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection.

Response

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage

Store in a well-ventilated place. Keep cool. Store locked up

Disposal

Dispose of contents / container in accordance with local/regional /national/ International regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information

None

3. Composition /information on ingredients

Chemical name	CAS number	%
BENZYL BENZOATE	120-51-4	38.87
ALPHA-HEXYLCINNAMALDEHYDE	101-86-0	15.5
METHYL DIHYDROJASMONATE	24851-98-7	15.4
LINALYL ACETATE	115-95-7	7.114
LINALOOL	78-70-6	4.303
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8, 8-HEXAMETHYLCYCLOPENTA-G AMMA-2-BENZOPYRAN	1222-05-5	4
ORANGE TERPENES	68647-72-3	3.134
GERANIOL	106-24-1	2.28
LEMON OIL	8008-56-8	1.625
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3, 8,8-TETRAMETHYL-2-NAPHTHALENYL)	54464-57-2	1.6
ETHANONE		
BETA-IONONE	14901-07-6	1.08
NUTMEG OIL	8008-45-5	0.97

SAGE OIL DALMATIAN, (SALVIA OFFICINALIS)	8022-56-8	0.65
BUTYLATED HYDROXYTOLUENE	128-37-0	0.5
citral	5392-40-5	0.323
2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE	68039-49-6	0.32
DELTA-1-(2,6,6-TRIMETHYL-3-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE	57378-68-4	0.16
GERANYL ACETATE	105-87-3	0.127
THYME OIL (RED OR WHITE)	8007-46-3	0.1
Other components below reportable levels		1.943105

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove Contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and material for containment and cleaning up:

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS

Environmental precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases

7. Handling and storage:

Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Provide adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
BUTYLATED HYDROXYTOLUENE (CAS 128-37-0)	TWA	2 mg/m ³	Inhalable fraction and vapor
citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
BUTYLATED HYDROXYTOLUENE (CAS 128-37-0)	TWA	10 mg/m ³

Biological limit values

No biological exposure limits noted for the ingredient(s)

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

citral (CAS 5392-40-5)

Can be absorbed through the skin.

Appropriate engineering Controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling the product.

Individual protection measures, such as personal protective equipment

Eye/face protection : Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection : Wear appropriate chemical resistant gloves

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and Chemical Properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Color less to Pale Yellow
Odor	Green; Citrus
Odor threshold	Not available.
pH	Non-applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	185.0 °F (85.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Not available.	
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water).	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information.	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.994 – 1.014@25C
VOC (Weight %)	Not available

10. Stability and Reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability

Material is stable under normal conditions

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: No hazardous decomposition products are known.

11. Toxicological Information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Harmful if swallowed. May cause an allergic skin reaction.

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

ACGIH Sensitization
citral (CAS 5392-40-5) Dermal sensitization

Respiratory sensitization Not a Respiratory sensitizer.
Skin sensitization May cause an allergic skin reaction.
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

BUTYLATED HYDROXYTOLUENE 3 Not classifiable as to carcinogenicity
(CAS 128-37-0) to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens
Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure Not classified.

Specific target organ toxicity Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful

12. Ecological Information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s.
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	III
Marine pollutant	Yes
Environmental hazards	
Special precautions for user procedures before handling.	Read safety instructions, SDS and emergency
Special provisions	8, 146, 335, IB3, T4, TP1, TP29
Packaging exceptions	155

Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Environmental hazards Yes
ERG Code 9L
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft Allowed.
Other information
Cargo aircraft only Allowed.


IMDG

UN number UN3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Marine pollutant Yes
Environmental hazards
EmS F-A, S-F
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.


Transport in bulk according to the IBC Code Annex II of MARPOL 73/78 and

Not established.

DOT; IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not Listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

 Delayed Hazard - Yes

 Fire Hazard - Yes

 Pressure Hazard - No

 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not Listed

US. Massachusetts RTK - Substance List

BUTYLATED HYDROXYTOLUENE (CAS 128-37-0).

US. New Jersey Worker and Community Right-to-Know Act

BUTYLATED HYDROXYTOLUENE (CAS 128-37-0)

US. Pennsylvania Worker and Community Right-to-Know Law

BUTYLATED HYDROXYTOLUENE (CAS 128-37-0)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other Information, including date of preparation or last revision

Issue date	10-20-2016
Version#	01
HMIS® ratings	Health: 2*
	Flammability: 2
	Physical hazard: 0

Revision Indicator: New SDS **Date** 12/20/16

Disclaimer: The information contained herein is accurate to the best of our knowledge. West Sanitation Services, Inc. makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.